



Reseller Manual

Contents

1	Definition of Terms	3
2	Sections of the Reseller Interface	3
3	General	4
3.1	Overview	4
3.2	Change Password	5
3.3	Language	5
3.4	Server Messages	6
3.5	Reseller Privileges	6
4	Templates	7
4.1	Create Template	7
4.2	Change Templates	10
4.3	Delete Templates	10
5	Users	11
5.1	E-mail Setup	11
5.2	Index Setup	11
5.3	Circular to all Users	11
5.4	Help Page	11
5.5	Create User	12
5.6	Change User	20
5.7	FrontPage	22
5.8	SSL	22
5.9	MySQL	22
6	Stats	23
6.1	Userstats	23
6.2	Traffic	23

1 Definition of Terms

The following terms are repeatedly used in this manual:

End user / user - has a home directory and one or more domains on the server.

Reseller - may create and manage users.

User and reseller each have their own Confixx web interface. This manual describes the reseller interface.

2 Sections of the Reseller Interface

The Confixx web interface is divided into four main sections. You can move to the individual sections by clicking on one of the links in the top menu.

[General](#) [Templates](#) [Users](#) [Stats](#) [Log on again](#)

Each main menu has submenus. These are located on the left side of the browser window below the Confixx logo.



3 General

3.1 Overview

This service overview displays information on the server and on the services available to you.

General information on res6	
User data	
Name	Joe Doe
Address	77 Harrow Road
ZIP & City	London W14 8UD
Customer ID	#452334
RIPE	DOE87-
Service overview	
Number of users	0 (Unlimited)
Assigned storage space	0 KB (1.21 GB)
Used storage space	0 KB
Traffic January 2003	0 KB (1.21 GB)
POP3 boxes	0 (Unlimited)
E-mail addresses	0 (Unlimited)
E-mail autoresponders	0 (Unlimited)
Domains	0 (Unlimited)
Sub-domains	0 (Unlimited)
Wildcard sub-domains	0 (0)
MySQL databases	0 (Unlimited)
additional FTP users	0 (Unlimited)
The values in parentheses represent the maximum value you may define or use.	

If you exceed a limit, the corresponding row in the table will be highlighted in color.

3.2 Change Password

In this section, you can change your reseller password for the user that you use to log onto the Confixx interface. You can also use this password to log on with any user you have created.

Old password	<input type="text"/>
New password	<input type="text"/>
Re-enter password	<input type="text"/>
	<input type="button" value="Change password"/>

To change your password, first enter your current password. Now enter your new password twice and confirm by clicking on 'Change password'.

For security reasons, your password must consist of at least 6 characters. It may have no more than 12 characters.

3.3 Language

In this section, you can select the language of your web interface. The language selected here will be used for newly created users. Users can select their own language.

Sprache	<input type="text" value="English"/>
	<input type="button" value="Change"/>

3.4 Server Messages

Server messages are generated by Confixx. You can use this page to list the different error messages in chronological order.

There are the following types of messages:

- Errors: error messages are generated, for example, if a directory could not be created or deleted.
- Notices: notices are used for logging. Notices are stored when users, sub-domains etc., are created or deleted.

3.5 Reseller Privileges

Resellers can log onto not only the reseller section with their passwords but also onto the end user section.

From your browser, call up the appropriate URL for the end user section, enter the name of the end user's user as the username, and enter the reseller's password. After you have logged on, you can access the entire user interface.

To access the Webalizer stats, you must enter your admin username as username.

This does not include the limited user sections for FTP and POP3 users. Admins or resellers cannot log onto these sections.

4 Templates

You can create any number of templates in this section to select from at a later time when creating a user. If you use templates, you will not have to specify storage space, the number of e-mail addresses etc., for each individual user.

4.1 Create Template

First choose a name for the template you wish to create. (e.g., web15 or webpackage 1). The name of the template is used simply to identify the template when you create a user or when you change or delete a template.

Description	Input
Name of template	<input type="text" value="Web 120"/>
Storage space	<input type="text"/> KB <input type="button" value="v"/>
Number of POP3 boxes	<input type="text" value="-1"/> maximum
Number of e-mail addresses	<input type="text" value="-1"/> maximum
Number of e-mail autoresponders	<input type="text" value="-1"/> maximum
Number of additional FTP users	<input type="text" value="0"/> maximum
Traffic contained	<input type="text"/> MB
Creatable sub-domains	<input type="text" value="0"/> maximum
MySQL databases	<input type="text" value="1"/> maximum
FTP	<input checked="" type="radio"/> Yes <input type="radio"/> No
PHP	<input checked="" type="radio"/> Yes <input type="radio"/> No
PHP upload	<input checked="" type="radio"/> Yes <input type="radio"/> No
CGI / Perl	<input checked="" type="radio"/> Yes <input type="radio"/> No
SSI	<input checked="" type="radio"/> Yes <input type="radio"/> No
WAP	<input checked="" type="radio"/> Yes <input type="radio"/> No
Directory listing	<input checked="" type="radio"/> Yes <input type="radio"/> No
Webalizer / Stats	<input checked="" type="radio"/> Yes <input type="radio"/> No
PW-protected directories	<input checked="" type="radio"/> Yes <input type="radio"/> No
Define error files	<input checked="" type="radio"/> Yes <input type="radio"/> No
Web FTP	<input checked="" type="radio"/> Yes <input type="radio"/> No
WebMail	<input checked="" type="radio"/> Yes <input type="radio"/> No
Standard CGI scripts	<input checked="" type="radio"/> Yes <input type="radio"/> No
	<input type="button" value="Create template"/> <small>NEW</small>

4.2 Change Templates

You can change previously created templates at a later time. First select the template you wish to change. Then click on 'Change template'.

Please select a template.

Description	Input
Existing templates	Web 120 ▾
	<input type="button" value="Edit template"/> <small>NEW</small>

You will now see all the template settings. Change the data following the steps described in 'Create template'.

Changing a template does not affect any users previously created using this template.

4.3 Delete Templates

Select a template to be deleted and confirm by clicking on 'Delete template'.

Delete template

Please select the template you want to delete

Label	Input
Existing templates	Web 120 ▾
	<input type="button" value="Delete template"/> <small>NEW</small>

If you delete a template, the services assigned to your users will not be changed.

5 Users

Use this section to change any settings pertaining to your users.

5.1 E-mail Setup

Once you have created a user, you can send the access data as well as any other information to the newly created user by e-mail. To do so, you can create a standard e-mail for each template you create. You can also create a standard e-mail to be used if you do not select a template when creating a user. You can enter various variables in the fields E-mail Text and Subject. These variables will automatically be replaced with the appropriate content.

You can specify that a copy of the e-mail be sent to a second recipient's e-mail address as a back-up.

5.2 Index Setup

In this section, you can create an index page to be set up automatically for your new users. You can define the HTML code of the page and the file name.

5.3 Circular to all Users

You can use Confixx to send an e-mail to all users. First write your e-mail. After clicking on 'Next', a list of all the users will appear. You can now remove individual recipients who should not receive your e-mail from the list. It may take a few minutes for the e-mail to be sent to the users.

5.4 Help Page

In this section, create a help page to be displayed on your users' interface. You have the option of specifying information such as contact information or a link to the Confixx user manual.

5.5 Create User

Creating a user is divided into 5 steps.

Step 1:

Select template

If you have created a template and wish to use it, select it now. Otherwise keep the default setting 'No template/Individual setting' on the selection list. If you use a template, you will still have the option to verify and manually change the data in the next step.

Step 2:

User service settings

Enter only whole numbers in the input fields. If you want to assign an unlimited number to a feature, simply enter the value '-1'. You may enter the value '-1' only if you have been duly authorized as a reseller. If you enter the value '0', this service will not be available to the user.

Input values

You will probably not see all the input values as not every server supports all of Confixx's features or because this feature has not been activated for you.

Create new user

Services	Input
Storage space	<input type="text" value="1234"/> <input type="text" value="KB"/> <input type="button" value="v"/>
Number of POP3 boxes	<input type="text" value="-1"/> maximum
Number of e-mail addresses	<input type="text" value="-1"/> maximum
Number of e-mail autoresponders	<input type="text" value="-1"/> maximum
Number of additional FTP users	<input type="text" value="0"/> maximum
Traffic contained	<input type="text" value="1111"/> MB
Creatable sub-domains	<input type="text" value="0"/> maximum
MySQL databases	<input type="text" value="1"/> maximum
FTP	<input checked="" type="radio"/> Yes <input type="radio"/> No
PHP	<input checked="" type="radio"/> Yes <input type="radio"/> No
PHP upload	<input checked="" type="radio"/> Yes <input type="radio"/> No
CGI / Perl	<input checked="" type="radio"/> Yes <input type="radio"/> No
SSI	<input checked="" type="radio"/> Yes <input type="radio"/> No
WAP	<input checked="" type="radio"/> Yes <input type="radio"/> No
Directory listing	<input checked="" type="radio"/> Yes <input type="radio"/> No
Webalizer / Stats	<input checked="" type="radio"/> Yes <input type="radio"/> No
PW-protected directories	<input checked="" type="radio"/> Yes <input type="radio"/> No
Define error files	<input checked="" type="radio"/> Yes <input type="radio"/> No
Web-FTP	<input checked="" type="radio"/> Yes <input type="radio"/> No
WebMail	<input checked="" type="radio"/> Yes <input type="radio"/> No
Standard CGI scripts	<input checked="" type="radio"/> Yes <input type="radio"/> No
	<input type="button" value="Next step"/> <small>NEW</small>

- Storage space: please note when assigning storage space that 1 MB = 1,024 KB. If a quota has not been installed on the server, the user may use more storage space than you have specified in this section. The storage space used by your users will be measured one or more times a day, depending on the server configuration. If a user uses more storage space than has actually been authorized, you will be notified accordingly in the stats section.
- Number of POP3 boxes: you must set up at least as many e-mail addresses as POP3 boxes.
- Number of e-mail addresses: e-mail addresses are either forwarders to POP3 boxes or to existing e-mail addresses. If setting up POP3 boxes has not been authorized, end users may only set up e-mail forwarders.
- Autoresponders: the user can set up autoresponders for individual e-mail addresses. For that reason, it is useful to assign as many autoresponders as there are e-mail addresses. This enables the user to set up an autoresponder for each e-mail address.
- Number of additional FTP users: users can create additional FTP users. FTP users are users on the web server with a home directory within the home directory of a user.
- Traffic contained: a user can always exceed the traffic limit defined in this section. These data merely serve to inform the user or you, the reseller. In the event the traffic limit has been exceeded, you will be notified accordingly in the stats section.
- Creatable sub-domains: end users can create sub-domains and have them point to a certain directory within their home directory. The sub-domains will function only if the user's domains are entered as a wildcard (*.domain.tld) on the name server.
- Number of MySQL databases: under normal conditions, one database per end user should be sufficient.

- Wildcard sub-domain: you can authorize your users to create a catch-all sub-domain (*.domain.tld). These use considerably more server capacity than regular sub-domains.
- FTP: enable FTP to give your users FTP access using their main user. This feature must be activated if additional FTP users are to be assigned.
- PHP, SSI: these features can be activated and deactivated. They are available in the server's default setting. If you deactivate any of these features, files with the corresponding endings cannot be executed using the web server.
- PHP upload: only users for whom this feature has been activated can use the PHP upload features. A temp folder ('phptmp') is created in the user's home directory for this purpose. If this feature is activated for a user at a later time, the temp folder must then also be created and authorized appropriately (chmod 777).
- Wap: a user can use *.wml files if this feature has been activated for the user.
- DirectoryListing: if this feature has been activated for a user, the user can specify whether the web server should display the content of the user's home directory if an index file is not available. If this feature has been deactivated, DirectoryListing cannot be activated.
- CGI / Perl: a CGI-BIN directory will not be created if CGI / Perl has been deactivated.
- Shell access: if Shell access has been activated for a user, the user can log onto the Linux Shell using the main user (e.g. www1). Shell access should be assigned only in exceptional cases as this involves a substantial security risk for the server.
- Webalizer / stats: Webalizer is a well-known web server log file analysis program. It analyses the log files generated by the web server. If Webalizer has been activated for a user, the Webalizer configuration file will automatically be generated simultaneously. The folder 'Webalizer' will be created in the user's HTML directory and password-protected with an .htaccess file. Depending on the web server configuration, Webalizer is updated one or more times per day. You can

also log onto the Webalizer stats using your reseller username and your reseller password.

- Password-protect directories: users can use the Confixx web interface to protect their directories with a password if this feature has been activated. If you wish to activate FrontPage for your user at a later time, you must not activate this feature.
- Define error files: users can use the Confixx web interface to define their own error files for their directories if this feature has been activated. If you wish to activate FrontPage for your user at a later time, you must not activate this feature.
- WebFTP: WebFTP is an interface used to upload and download files using FTP. FTP users additionally created by the user can log onto the user section. The Confixx web interface for additional FTP users is restricted to changing the password and WebFTP, provided that WebFTP is available.
- WebMail: WebMail is an interface used to send and receive e-mails via the browser. POP3 users can log onto the user section. The Confixx interface for POP3 users is restricted to changing the password and to WebMail, provided that WebMail is available.
- Standard CGI scripts: this option installs pre-defined CGI scripts into the end users' CGI directory. If you activate this option when changing a user's services, the scripts are re-installed in the end user's home directory. Existing end user data are not overwritten, though. The only files that are copied are those that previously did not exist.

Step 3:

Enter personal data

This information need not be provided but may be helpful, for example, to locate a user in bookkeeping. You must select whether these data should appear on your user's Confixx home page. For example, you can store name, company, address etc. Any fields left blank will not be displayed to the user. Furthermore, three additional fields are available which you can label as you wish.

Create new user

Label	Input
Name	Joe Doe
Company	
Address	77 Harrow Road
ZIP & City	London W14 8UD
Telephone	
Fax	
E-mail address	
Customer ID	
Definable fields	Input
RIPE	
Do you want to display this information in the user section?	
(Only completed fields will be displayed.)	
<input checked="" type="radio"/> Yes <input type="radio"/> No	
<input type="button" value="Next step"/>	

Step 4:

Enter domains

Enter any domains (separated by the return/enter key) in this field that the user wishes to use. (e.g., 'domain.tld' + Enter + 'domain2.de')

User's own IP

If you can assign your own IP addresses and have at least one available IP

address, you can assign an exclusive IP address to the new user. Select the IP address to be assigned to the user. If the user is authorized to use SSL, the user will need an exclusive IP address.

Create new user

Label	Input
Domains	<div style="border: 1px solid gray; padding: 5px;"><p>internet2.co.uk internet2.co.uk</p><p>List one below the other without entering separators. One domain per line. Enter domains without www.!</p></div>
Which IP address should be used for the new user?	
	<div style="display: flex; align-items: center;"><div style="border: 1px solid gray; padding: 2px 5px; margin-right: 5px;">Standard IP ▾</div><input type="checkbox"/> only for this user</div>
<div style="border: 1px solid gray; padding: 5px; display: inline-block; border-radius: 15px;">Create new user now <small>NEW</small></div>	

Step 5:

Send user data & e-mail

Once the user has been created, the user's access data are displayed. If you have created an e-mail - as described in e-mail setup - the access data are automatically inserted into the e-mail text, and you can send the e-mail to the user at the press of a button.

User: web7	
Password: zqUun0Rv	
<i>Send e-mail to new user.</i>	
To	<input type="text"/>
Subject	<input type="text"/>
Text	<input type="text"/>
	<input type="text"/> Sender's e-mail address
	<input type="text"/> Name of sender
	<input type="text"/> CC-recipient of the e-mail
<input type="button" value="Send"/>	

5.6 Change User

You can change the services of previously created users in this section. Enter the user you wish to change, and select the section to be changed.

Show user list

Select an action for a user

<input type="text" value="web7"/>	User
<input type="radio"/> Change personal data <input type="radio"/> Change services <input type="radio"/> Edit domains & IP address <input type="radio"/> Change password <input type="radio"/> Delete user <input type="radio"/> Lock/unlock user	<input type="button" value="Next"/>

The sections 'Change Personal Data', 'Change Services' and 'Change Domain & IP Address' are set up in an identical fashion to the steps 2-4 described in 'Create User'.

You can delete existing users and lock them temporarily. If a user is locked, the user can no longer log onto the user interface of Confixx. A locked user does not have FTP access and cannot retrieve e-mails from the POP3 boxes. The Internet page is not available, either - a neutral standard page is displayed. Once you unlock the user, all services will be available once again. The e-mails that were sent to the user while user was locked can now be retrieved.

5.7 FrontPage

You can activate or deactivate FrontPage for your users. The default setting of FrontPage for new users is deactivated.

You can activate FrontPage only for users for whom the features Error Files and Password Protection have been deactivated.

Once FrontPage has been activated for a user, the password and username for FrontPage are issued. Users can use the Confixx web interface to change their FrontPage password.

The FrontPage server extensions require about 150KB storage space per user.

5.8 SSL

A user must have an exclusive IP address to be able to use SSL. Once you have selected a user, select whether a private key and certificate are already available. If these data are not available, they can be generated via the interface. Once you have entered the private key and certificate, you must select a domain and save the data.

5.9 MySQL

If authorized by the admin, you can clear individual databases for access by external servers in this overview of existing databases.

6 Stats

6.1 Userstats

You can run a query on your users' stats. You can choose between detailed userstats for individual users and a service overview.

The service overview simultaneously displays pertinent information on several users. You can specify the number of users to be displayed per page and sort the information according to different parameters. An additional option allows you to show only those users who have exceeded a limit set by the reseller (e.g., storage space or traffic).


6.2 Traffic

This graphical overview displays all the FTP and web traffic generated by your users that Confixx was able to assign to one of your users. The traffic generated by previously deleted users is included as well. The monthly traffic details show each individual day, the traffic summary each individual month. You can get a detailed daily overview for the preceding three months by clicking on the appropriate month. It shows the traffic generated prior to the last time the script that measures traffic was executed. Depending on the web server configuration, this program will be executed one or more times per day.


Your traffic

This displays traffic for all your users measured by Confixx on this server. This includes traffic generated by previously deleted users.

Traffic details for January 2003

Day	FTP / WEB	Total
1/2/2003	 0 KB / 2 KB	2 KB
Total	0 KB / 2 KB	2 KB

Traffic summary for all months

Month	FTP / WEB	Total
1/2003	 0 KB / 2 KB	2 KB
Total	0 KB / 2 KB	2 KB